

Work Order ID 144134

144134

Page 1

April 05, 2016 10:05:39 AM

Item ID: D2512-3 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Rib
 Start Date: 4/29/2016 Start Qty: 2.00 ***2*** **4** **6**
 Required Date: 5/6/2016 Req'd Qty: 2.00 ***2*** **SH** Cust Item ID:
 Reference: Customer:

Approvals: Process Plan: SH Date: 20160405 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2512	G								
100	Large Fab	0.00							
100									
Large Fab	Memo	0.01							
Large Fab	1- Cut as per dwg D2512 2- Deburr and remove identification markings on tube								
110	QC6- Inspect dimensions to drawing	0.00							
110									
QC	Memo	0.00							
Quality Control									
120	Identify as per dwg & Stock Location: _____	0.00							
120									
Packaging	Memo	0.00							
Packaging	LOCATION WA004								

6 CP 16-05-12

6x DAS 43 MAY 16 2016
9-89

6x DAS 43 MAY 16 2016
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 144134

144134

Page 2

April 05, 2016 10:05:39 AM

Item ID: D2512-3 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Rib
Start Date: 4/29/2016 Start Qty: 2.00 *2* Cust Item ID:
Required Date: 5/6/2016 Req'd Qty: 2.00 *2* Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC21- Final Inspection - Work Order Release	0.00							
130									
QC	Memo	0.00							
Quality Control									

ML5 MAY 17 2016

SH20160516

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval			
Description Work Order Deviation				Disposition				Completed By			
Root Cause				FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : ☐											

Picklist Print

April 05, 2016 10:05:43 AM

Page 1 / 1

Work Order ID: 144134

144134

Parent Item: D2512-3

D2512-3

Parent Item Name: Rib

Start Date: 4/29/2016

Required Date: 5/6/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP REV:A 12.07.27 AS PER DWG REV.F DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304TS0.750W.065 Purchased No

100 f 1,255.787 7.942 16.72

17

M304TS0 750W 065

304 SQ Tube .75x.75x.065W

51 C. 16-05-12

Location

Loc Qty

Loc Code

WA004

1255.787362

m132270

35.88

m132924

172.177362

m133412



553

m133757

494.73

51

QTY	PART NUMBER	DESCRIPTION
X	D2512	BASKET LID ASSEMBLY
2	D2512-3	RIB
6	D2512-5	RIB
3	D2512-7	RIB
2	D2232-1	HINGE PLATE
4	D2236	RIB
1	D2506	LABEL PLATE
2	D2581	MOUNTING BRACKET
2	D3825-043	RIB ASSY (BASKET END, LID)
1	D3832-13	MESH (LID)
2	D3833-7	MESH, LID END



D2512 BASKET LID ASSEMBLY NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT ENTIRE ASSEMBLY WHITE (4.3.5.2) PER DART QSI 005 4.3
AFTER POWDER COAT, SPRAY PAINT BLACK INSIDE SURFACE AND
APPLY BLACK ANTI-SKID TO OUTSIDE SURFACES PER DART QSI 005 4.4
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A
- 8) WELD PER DART QSI 004


20160405

SA 144134


RELEASED
R 2012-00-03

G	CORRECTED TYPO: D3825-043 WAS D3825-041 (ZN D3-1, B8-2, B1-2)	MB	12.07.26
F	GENERAL REVISION; REFORMATED DWG; DELETED DETAIL E AND RELATED NOTES IN VIEW C-C. REASON: PAR10-50.	MB	12.05.11
E	INCORPORATED D1 & D2. MATERIAL FOR -1, -3, -5, & -7 WAS 0.060 WALL. SHT 3 ZN C4 TOLERANCE REMOVED FROM 95.30 DIM. DRAWING TRANSFERRED TO "B" FORMAT AND UPDATED TO CURRENT STANDARDS. SHT 3 VIEWS INVERTED FOR CLARITY. SHT 2 MESH MATERIAL CALLOUT UPDATED.	AJS	08.06.17
D	CHANGE HINGE	CP	01.04.19
C	REMOVE DOUBLE SKIN SECTION. ADDED MEMBERS, INCORP DEO 9074	DS	99.07.06
B	ADDED LATCH CHANNEL & LABEL PLATE	BW	96.05.24
A	NEW ISSUE	BW	95.11.21
REV.	DESCRIPTION	BY	DATE


DESIGN	BW	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	AS	DRAWING NO.	REV. G
MFG. APPR.		D2512	SHEET 1 OF 4
APPROVED		TITLE	SCALE
DE APPR.		BASKET LID ASSEMBLY (350/212)	NTS
DATE	12.07.26	COPYRIGHT © 1995 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



SECTION A-A
(ROTATED 90° CCW) C6-1








VIEW C-C SIMILAR BOTH END RIBS B8-1



SECTION D-D SAME BOTH CENTER RIBS B7-1

RELEASED
2012-08-03
JMP

DESIGN	BW	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	ASS	DRAWING NO.	REV. G
MFG. APPR.	ASS	D2512	SHEET 3 OF 4
APPROVED	ASS	TITLE	SCALE
DE APPR.	ASS	BASKET LID ASSEMBLY (350/212) NTS	
DATE	12.07.26	COPYRIGHT © 1995 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



D2512-X RIB

DART PART NUMBER	L
D2512-5	30.84
D2512-7	30.63

RELEASED
2012-08-03

D2512-5/-7 NOTES:

- 1) MATERIAL: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBING
PER ASTM A554/A269 MILL FINISH, 0.75 X 0.75 X 0.065 WALL
REF. DART SPEC M304TS0.750W.065
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A

DESIGN	BW	DART AEROSPACE LTD
DRAWN	R	HAWKESBURY, ONTARIO, CANADA
CHECKED	ASS	DRAWING NO. REV. G
MFG. APPR.	[Signature]	D2512 SHEET 4 OF 4
APPROVED	[Signature]	TITLE SCALE
DE APPR.	[Signature]	BASKET LID ASSEMBLY (350/212) NTS
DATE	12-07-26	COPYRIGHT © 1995 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		